AUTHOR INDEX

Adams, D.J. *see* Adamson, A.J.
Adamson, A.J., Adams, D.J., Warwick, R.S. Near-infrared observations of M83, **224**, 367
Adamson, A.J. *see* Bell, S.A.
Aikman, G.C.L. *see* McFadzean, A.D.
Albinson, J.S. *see* Spoelstra, T.A.T.
Axon, D.J. *see* Hough, J.H.

Bailey, J. *see* Hough, J.H.
Balona, L.A. Mode identification from line profile variations – III. Temperature variation and toroidal modes, **224**, 41
Barcons, X., Fabian, A.C. Are Lyman α clouds non-spherical?, **224**, 675
Begley, M.J., Cottrell, P.L. Evidence for departures from LTE in Na and Al in late-type giants, **224**, 633
Bell, S.A., Adamson, A.J., Hilditch, R.W. Simultaneous differential photometry with the St Andrews twin photometric telescope – II. The eclipsing binaries SX Aurigae and TT Aurigae, **224**, 649
Boksenberg, A. *see* Falomo, R.
Bontekoe, Tj.R., van Albada, T.S. Decay of galaxy satellite orbits by dynamical friction, **224**, 349
Booth, R.S. *see* Dennison, B.
Brindle, C. *see* Hough, J.H.
Browne, I.W.A. *see* Wilkinson, A.

Callanan, P.J., Fabian, A.C., Tennant, A.F., Redfern, R.M., Shafer, R.A. *EXOSAT* observations of the X-ray source in M15, **224**, 781
Cameron, A.C., Reid, N. Close binary stars in old stellar populations – II. Old disc clusters, **224**, 821
Carrasco, L. *see* Tapia, M.
Carswell, R.F., Rees, M.J. Constraints on voids at high redshifts from Lyα absorbers, **224**, 13P
Cawson, M.G.M., Kibblewhite, E.J., Disney, M.J., Phillipps, S. Automated galaxy surface photometry – I. Technique, calibration and validation, **224**, 557
Cawthorne, T.V. *see* Thompson, A.M.
Chatterjee, S. *see* Venkatakrishnan, P.
Chitre, S.M. *see* Subramanian, K.
Christiansen, W.A. see Wilkinson, A.
Clegg, R.E.S., Peimbert, M., Torres-Peimbert, S. The carbon-poor halo planetary nebula DDDM-1, **224**, 761
Colless, M., Hewett, P. The dynamics of rich clusters – I. Velocity data, **224**, 453
Collett, J.L., Lynden-Bell, D. On $\partial E/\partial J$ for general steady states, **224**, 489
Córdova, F.A. *see* Rosen, S.R.
Cornwell, T.J. *see* Saikia, D.J.
Cottrell, P.L. *see* Begley, M.J.
Crawford, C.S., Crehan, D.A., Fabian, A.C., Johnstone, R.M. Narrow absorption lines from cooling flows, **224**, 1007
Crehan, D.A. *see* Crawford, C.S.
Czerny, B. *see* Pounds, K.A.

Davies, R.D. *see* Staveley-Smith, L.
Davis, R.J. *see* Padin, S.
Dawe, J.A. see Fong, R.
Dejonghe, H. A completely analytical family of anisotropic Plummer models, **224**, 13
Demiański, M., Łapucha, M. On the problem of topological structure of the Universe, **224**, 527
Dennison, B., Booth, R.S. Low-frequency VLBI in space and interstellar refraction, **224**, 927
Disney, M.J. *see* Cawson, M.G.M.
Doyle, J.G. An activity–rotation relationship in F–M dwarfs from Mg II *h* and *k* flux, **224**, 1P
Drew, J.E. Inclination and orbital-phase-dependent resonance line-profile calculations applied to cataclysmic variable winds, **224**, 595
Duncan, R.A., Forster, J.R., Gardner, F.F., Whiteoak, J.B. VLA observations of the 4.8-GHz H_2CO transition in L1551, **224**, 721
Durisen, R.H. *see* Wolff, M.T.

Elgarøy, Ø. *see* Singh, K.P.
Engvold, O. *see* Singh, K.P.
Evans, A. *see* Spoelstra, T.A.T.

Fabian, A.C. *see* Barcons, X.
Fabian, A.C. *see* Callanan, P.J.
Fabian, A.C. *see* Crawford, C.S.
Fabian, A.C. *see* Johnstone, R.M.
Falle, S.A.E.G. *see* Innes, D.E.
Falomo, R., Boksenberg, A., Tanzi, E.G., Tarenghi, M., Treves, A. The complex, variable structure of stationary lines in SS 433, **224**, 323
Fisher, W.A. see McFadzean, A.D.
Fitchett, M. Enhanced gravitational wave emission from peturbed wide binaries, **224**, 567
Flower, D.R., Pineau des Forêts, G. Theoretical studies of interstellar molecular shocks – V. Solutions for J-type shocks as an initial value problem, **224**, 403
Fong, R., Jones, L.R., Shanks, T., Stevenson, P.R.F., Strong, A.W., Dawe, J.A., Murray, J.D. Deep Galaxy counts, H I and dust at the South Galactic Pole and in the Magellanic Stream, **224**, 1059
Forster, J.R. *see* Duncan, R.A.

Gardner, F.F. *see* Duncan, J.R.
Ghisellini, G. Pair production in synchrotron self-

Compton models: the case of one generation of pairs, **224**, 1
Ghisellini, G. the Magellanic Stream, **224**, 1059
Ghisellini, G. *see* Madau, P.
Giddings, J.R. *see* Innes, D.E.
Giménez, A., Kim, C.-H., Nha, Il.-S. Apsidal motion in the early-type eclipsing binaries CW Cephei, Y Cygni and AG Persei, **224**, 543
Goldman, A. *see* Harris, M.J.
Gómez, D.O., Niemela, V.S. LSS 2063 – a galactic Of/WN star, **224**, 641
Good, A.R. *see* Morgan, D.H.
Gratton, R.G. Radial velocities of RR Lyrae stars in the Baade Window, **224**, 175
Green, D.A., Gull, S.F. Neutral hydrogen observations towards the compact radio source 0022+6352 in Tycho's SNR, **224**, 1055
Gull, S.F. *see* Green, D.A.

Hachisu, I. *see* Sawada, K.
Haefner, R., Schoembs, R. Periodic variations in PHL 227, **224**, 231
Hamilton, P.A., Lyne, A.G. Faraday rotation measurements on 163 pulsars, **224**, 1073
Harris, M.J., Lambert, D.L., Goldman, A. The $^{12}C/^{13}C$ and $^{16}O/^{18}O$ ratios in the solar photosphere, **224**, 237
Hewett, P. *see* Colless, M.
Hilditch, R.W. *see* Bell, S.A.
Hilditch, R.W. *see* McFadzean, A.D.
Hill, G. *see* McFadzean, A.D.
Hough, J.H., Brindle, C., Axon, D.J., Bailey, J., Sparks, W.B. Infrared and optical polarimetry of the radio elliptical IC 5063 (PKS2048-57): discovery of a highly polarized non-thermal nucleus, **224**, 1013
Hummer, D.G., Storey, P.J. Recombination-line intensities for hydrogenic ions – I. Case B calculations for H I and He II, **224**, 801 *and on microfiche*

Innes, D.E., Giddings, J.R., Falle, S.A.E.G. Dynamical models of radiative shocks – I. Steady shocks, **224**, 179
Inoue, M. *see* Sawada, K.

James, J.F. On the flickering of hot spots in cataclysmic variables, **224**, 227
Johns, T.C., Nelson, A.H. Global simulations of gas flow in disc galaxies – II. Evolution of tilts and corrugation waves, **224**, 863
Johnstone, R.M., Fabian, A.C., Nulsen, P.E.J. The optical spectra of central galaxies in southern clusters: evidence for star formation, **224**, 75
Johnstone, R.M. *see* Crawford, C.S.
Jones, A.P., Williams, D.A. Interplanetary material as a guide to the composition of interstellar grains, **224**, 473
Jones, D.H.P. *see* Martin, J.S.
Jones, L.R. *see* Fong, R.
Joras, P. *see* Singh, K.P.
Jordan, C. *see* Judge, P.G.
Judge, P.G., Jordan, C., Rowan-Robinson, M. δ Andromedae (K3 III): an *IRAS* source with an unusual ultraviolet spectrum, **224**, 93

Kapahi, V.K., Shastri, P. Optically induced orientation bias in B2 radio quasars **224**, 17P
Kibblewhite, E.J. *see* Cawson, M.G.M.
Kilkenny, D. *see* Whittet, D.C.B.
Kim, C.H. *see* Giménez, A.
King, A.R. *see* Pounds, K.A.
King, D.J. *see* Whittet, D.C.B.
Kirrane, T.M. *see* Whittet, D.C.B.
Kotanyi, C. *see* Wilkinson, A.
Krishna Swamy, K.S. Synthetic Swan band profiles of (1,0) of $^{12}C^{13}C$ and (0,0) of $^{12}C^{12}C$ and $^{12}C^{13}C$ in comets, **224**, 537

Lambert, D.L. *see* Harris, M.J.
Laney, C.D. *see* Walker, A.R.
Łapucha, M. *see* Demiański, M.
Lasenby, A.N. *see* Padin, S.
LaViolette, P.A. The cometary breakup hypothesis re-examined, **224**, 945
Leahy, J.P. *see* Pooley, G.G.
Lee, U., Saio, H. Low-frequency oscillations of uniformly rotating stars, **224**, 513
Lynden-Bell, D. *see* Collett, J.L.
Lyne, A.G. *see* Hamilton, P.A.

McFadzean, A.D., Hilditch, R.W., Hill, G., Aikman, G.C.L., Fisher, W.A. The South Galactic Pole: radial velocities of 157 O–F8 stars, **224**, 393
Madau, P., Ghisellini, G., Persic, M. Beaming in blazars, **224**, 257
Martin, J.S., Jones, D.H.P., Smith, R.C. Spectroscopy and photometry of IP Peg in the near-infrared, **224**, 1031
Mason, K.O. *see* Rosen, S.R.
Matsuda, T. *see* Sawada, K.
Meaburn, J. *see* Walsh, J.R.
Mendoza, C., Zeippen, C.J. Electron impact excitation rate coefficients for Mg^{3+} and Mg^{4+}, **224**, 7P
Morgan, D.H., Good, A.R. Two faint WR stars near 30 Doradus, **224**, 435
Morrison, K. Photometric variability of the extreme hydrogen-deficient stars LSIV-1°2 and BD+1°4381, **224**, 1083
Moss, D. The internal magnetic field of the Sun, **224**, 1019
Murray, J.D. *see* Fong, R.
Muxlow, T.W.B. *see* Saikia, D.J.

Nagata, T. *see* Tamura, M.
Nakano, T. Formation of planets around stars of various masses – I. Formulation and a star of one solar mass, **224**, 107
Nelson, A.H. *see* Johns, T.C.
Nha, I.-S. *see* Giménez, A.
Niemela, V.S. *see* Gómez, D.O.
Nulsen, P.E.J. *see* Johnstone, R.M.

Oates, A.P. *see* Whittet, D.C.B.
O'Donoghue, D. *see* Warner, B.

Padin, S., Davis, R.J., Lasenby, A.N. The Jodrell Bank wide-band interferometers and their application to surface profile measurements of the telescopes, **224**, 685
Palmer, P.L., Papaloizou, J. Instability in spherical stellar systems, **224**, 1043
Papaloizou, J. *see* Palmer, P.L.
Peimbert, M. *see* Clegg, R.E.S.
Persic, M. *see* Madau, P.
Phillipps, S. *see* Cawson M.G.M.
Pineau des Forêts, G. *see* Flower, D.R.
Pooley, G.G., Leahy, J.P., Shakeshaft, J.R., Riley, J.M. Observations of 3C sources in the Galactic plane, **224**, 847
Pooley, G.G. *see* Spoelstra, T.A.T.
Pounds, K.A., Stanger, V.J., Turner, T.J., King, A.R., Czerny, B. Discovery of a strong soft X-ray excess in Mkn 335 – evidence for an accretion disc?, **224**, 443

Redfern, R.M. *see* Callanan, P.J.
Rees, M.J. *see* Carswell, R.F.
Rees, M.J. *see* Subramanian, K.
Reid, N. *see* Cameron, A.C.
Riley, J.M. *see* Pooley, G.G.
Rosen, S.R., Mason, K.O., Córdova, F.A. Phase-resolved optical spectroscopy of the AM Her systems E1405-451, **224**, 987
Roth, M. *see* Tapia, M.
Rowan-Robinson, M. see Judge, P.G.
Ruiz, M.T. *see* Tapia, M.

Saikia, D.J., Salter, C.J., Muxlow, T.W.B. A radio study of the compact steep-spectrum quasar 3C 2 (0003-003), **224**, 911
Saikia, D.J., Singal, A.K., Cornwell, T.J. Polarization properties of radio cores in active galaxies, **224**, 379
Saikia, D.J., Wiita, P.J., Cornwell, T.J. An oscillating jet in the nearby radio galaxy 1759+211, **224**, 53
Saio, H. *see* Lee, U.
Salter, C.J. *see* Saikia, D.J.
Sato, S. *see* Tamura, M.
Sawada, K., Matsuda, T., Inoue, M., Hachisu, I. Is the standard accretion disc model invulnerable, **224**, 307
Scarrott, S.M., Ward-Thompson, D., Warren-Smith, R.F. Evidence for a spiral magnetic field configuration in the galaxy M51, **224**, 299
Schnopper, H.W. *see* Singh, K.P.
Schoembs, R. *see* Haefner, R.
Schutz, B.F., Tinto, M. Antenna patterns of the interferometric detectors of gravitational waves – I. Linearly polarized waves, **224**, 131
Shafer, R.A. *see* Callanan, P.J.
Shakeshaft, J.R. *see* Pooley, G.G.
Shanks, T. *see* Fong, R.
Shastri, P. *see* Kapahi, V.K.
Singal, A.K. *see* Saikia, D.J.
Singh, K.P., Slijkhuis, S., Westergaard, N.J., Schnopper, H.W., Elgarøy, Ø., Engvold, O., Joras, P. X-ray spectrum of sigma Geminorum: an RS Canum Venaticorum type binary, **224**, 481
Skinner, C.J., Whitmore, B. The circumstellar environment of α Orionis, **224**, 335
Slijkhuis, S. *see* Singh, K.P.
Smith, R.C. *see* Martin, J.S.
Sparks, W.B. *see* Hough, J.H.
Sparks, W.B. *see* Wilkinson, A.
Spoelstra, T.A.T., Taylor, A.R., Pooley, G.G., Evans, A., Albinson, J.S. Pointers to conditions in the remnant of RS Ophiuchi from radio observations, **224**, 791
Stanger, V.J. *see* Pounds, K.A.
Staveley-Smith, L., Davies, R.D. The peculiar velocity of the Local Group – I. HI observations of Sb and Sbc galaxies, **224**, 953
Stevenson, P.R.F. *see* Fong, R.
Storey, P.J. *see* Hummer, D.G.
Strong, A.W. *see* Fong, R.
Subramanian, K., Rees, M.J., Chitre, S.M. Gravitational lensing by dark galactic haloes, **224**, 283

Tamura, M., Nagata, T., Sato, S., Tanaka, M. Infrared polarimetry of dark clouds – I. Magnetic field structure in Heiles Cloud 2, **224**, 413
Tanaka, M. *see* Tamura, M.
Tanzi, E.G. *see* Falomo, R.
Tapia, M., Roth, M., Carrasco, L., Ruiz, M.T. On the infrared emission of the exciting star of the Herbig–Haro objects 1 and 2, **224**, 587
Tarenghi, M. *see* Falomo, R.
Taylor, A.R. *see* Spoelstra, T.A.T.
Tennant, A.F. *see* Callanan, P.J.
Terlevich, E. Evolution of *N*-body open clusters, **224**, 193
Thompson, A.M., Cawthorne, T.V. Cyclotron emission from white dwarf accretion columns, **224**, 425
Tinto, M. *see* Schutz, B.F.
Torres-Peimbert, S. *see* Clegg, R.E.S.
Treves, A. *see* Falomo, R.
Turner, T.J. *see* Pounds, K.A.

van Albada, T.S. *see* Bontekoe, Tj.R.
van der Woerd, H., van Paradijs, J. Recurrence behaviour of outbursts in VW Hyi, **224**, 271
van Paradijs, J. *see* van der Woerd, H.
Venkatakrishnan, P., Chatterjee, S. On the saturation of the refractive index structure function – I. Enhanced hopes for long baseline optical interferometry, **224**, 265

Walker, A.R., Laney, C.D. CCD photometry of galactic clusters containing Cepheid variables – IV. NGC 6649, **224**, 61,
Walker, A.R. Studies of dwarf irregular galaxies – I. *B* and *V* CCD photometry of the brighter stars in Sextans A, **224**, 935
Walsh, J.R., Meaburn, J. The high radial velocity of an outer filament of the Helix nebula (NGC 7293), **224**, 885
Ward-Thompson, D. see Scarrott, S.M.
Warner, B., O'Donoghue, D. V2051 Ophiuchi: a low-field polar?, **224**, 733
Warren-Smith, R.F. *see* Scarrott, S.M.
Warwick, R.S. *see* Adamson, A.J.
Watson, F.G. *see* Whittet, D.C.B.
Westergaard, N.J. *see* Singh, K.P.
Whiteoak, J.B. *see* Duncan, R.A.
Whitmore, B. *see* Skinner, C.J.
Whittet, D.C.B., Kirrane, T.M., Kilkenny, D., Oates, A.P., Watson, F.G., King, D.J. A study of the Chamaeleon dark cloud and T-association – I. Extinction, distance and membership, **224**, 497
Wiita, P.J. *see* Saikia, D.J.
Wilkinson, A.,Browne, I.W.A., Kotanyi, C., Christiansen, W.A., Williams, R., Sparks, W.B. Radio emission from shell elliptical galaxies, **224**, 895
Williams, D.A. *see* Jones, A.P.
Williams, R. *see* Wilkinson, A.
Wilson, M.J. Extragalactic jets: probes of the surrounding medium, **224**, 155
Wolff, M.T., Durisen, R.H. The structure and evolution of interstellar bubbles in a multiphase interstellar medium – I. Physical model, **224**, 701

Zeippen, C.J. *see* Mendoza, C.

SUBJECT INDEX

Abundances of the elements

Evidence for departures from LTE in Na and Al in late-type giants (Begley, M.J., Cottrell, P.L.), **224**, 633
The carbon-poor halo planetary nebula DDDM-1 (Clegg, R.E.S., Peimbert, M., Torres-Peimbert, S.), **224**, 761

Accretion and accretion discs

Is the standard accretion disc model invulnerable? (Sawada, K., Matsuda, T., Inoue, M., Hachisu, I.), **224**, 307
Cyclotron emission from white dwarf accretion columns (Thompson, A.M., Cawthorne, T.V.), **224**, 425
Discovery of a strong soft X-ray excess in Mkn 335 – evidence for an accretion disc? (Pounds, K.A., Stanger, V.J., Turner, T.J., King, A.R., Czemy, B.), **224**, 443
Inclination and orbital-phase-dependent resonance line-profile calculations applied to cataclysmic variable winds (Drew, J.E.), **224**, 595
V2051 Ophiuchi: a low-field polar? (Warner, B., O'Donoghue, D.), **224**, 733
Phase-resolved optical spectroscopy of the AM Her system E1405-451 (Rosen, S.R., Mason, K.O., Córdova, F.A.), **224**, 987

Black holes

Enhanced gravitational wave emission from perturbed wide binaries (Fitchett, M.), **224**, 567

BL Lac objects

Beaming in blazers (Madau, P., Ghisellini, G., Persic, M.), **224**, 257

Celestial mechanics

A completely analytical family of anisotropic Plummer models (Dejonghe, H.), **224**, 13
Evolution of *N*-body open clusters (Terlevich, E.) **224**, 193
Decay of galaxy satellite orbits by dynamical friction (Bontekoe, Tj.R., van Albada, T.S.), **224**, 349
On $\partial E/\partial J$ for general steady states (Collett, J.L., Lynden-Bell, D.), **224**, 489
Global simulations of gas flow in disc galaxies – II. Evolution of tilts and corrugation waves (Johns, T.C., Nelson, A.H.), **224**, 863
Instability in spherical stellar systems (Palmer, P.L., Papaloizou, J.), **224**, 1043

Comets

Synthetic Swan band profiles of (1,0) of $^{12}C^{13}C$ and (0,0) of $^{12}C^{12}C$ and ^{12}C ^{13}C in comets (Krishna Swamy, K.S.), **224**, 537
The cometary breakup hypothesis re-examined (LaViolette, P.A.), **224**, 945

Cosmology

On the problem of topological structure of the Universe (Demiański, M., Łapucha, M.), **224**, 527
Constraints on voids at high redshifts from Lyα absorbers (Carswell, R.F., Rees, M.J.), **224**, 13P

Data Reduction

Automated galaxy surface photometry – I. Technique, calibration and validation (Cawson, M.G.M., Kibblewhite, E.J., Disney, M.J., Phillipps, S.), **224**, 557

Earth

The cometary breakup hypothesis re-examined (LaViolette, P.A.), **224**, 945

Galactic structure and stellar dynamics

A completely analytical family of anisotropic Plummer models (Dejonghe, H.), **224**, 13
Radial velocities of RR Lyrae stars in the Baade Window (Gratton, R.G.), **224**, 175
Evidence for a spiral magnetic field configuration in the galaxy M51 (Scarrott, S.M., Ward-Thompson, D., Warren-Smith, R.F.), **224**, 299
Decay of galaxy satellite orbits by dynamical friction (Bontekoe, Tj.R., van Albada, T.S.), **224**, 349
Near-infrared observations of M83 (Adamson, A.J., Adams, D.J., Warwick, R.S.), **224**, 367
The South Galactic Pole: radial velocities of 157 O–F8 (McFadzean, A.D., Hilditch, R.W., Hill, G., Aikman, G.C.L., Fisher, W.A.), **224**, 393
On $\partial E/\partial J$ for general steady states (Collett, J.L., Lynden-Bell, D.), **224**, 489
Global simulations of gas flow in disc galaxies – II. Evolution of tilts and corrugation waves (Johns, T.C., Nelson, A.H.), **224**, 863
Faraday rotation measurements on 163 pulsars (Hamilton, P.A., Lyne, A.G.), **224**, 1073

Galaxies

The optical spectra of central galaxies in southern clusters: evidence for star formation (Johnstone, R.M., Fabian, A.C., Nulsen, P.E.J.), **224**, 75
Evidence for a spiral magnetic field configuration in the galaxy M51 (Scarrott, S.M., Ward-Thompson, D., Warren-Smith, R.F.), **224**, 299
Decay of galaxy satellite orbits by dynamical friction (Bontekoe, Tj.R., van Albada, T.S.), **224**, 349
Near-infrared observations of M83 (Adamson, A.J., Adams, D.J., Warwick, R.S.), **224**, 367
The dynamics of rich clusters – I. Velocity data (Colless, M., Hewett, P.), **224**, 453
On the problem of topological structure of the Universe (Demiański, M., Łapucha, M.), **224**, 527
Automated galaxy surface photometry – I. Technique, calibration and validation (Cawson, M.G.M., Kibblewhite, E.J., Disney, M.J., Phillipps, S.), **224**, 557
Studies of dwarf irregular galaxies – I. *B* and *V* CCD photometry of the brighter stars in Sextans A (Walker, A.R.), **224**, 935
The peculiar velocity of the Local Group – I. HI observations of Sb and Sbc galaxies (Staveley-Smith, L., Davies, R.D.), **224**, 953
Deep Galaxy counts. HI and dust at the South Galactic Pole and in the Magellanic Stream (Fong, R., Jones, L.R., Shanks, T., Stevenson, P.R.F., Strong, A.W., Dawe, J.A., Murray, J.D.), **224**, 1059

Galaxies – active

Pair production in synchrotron self-Compton models: the case of one generation of pairs (Ghisellini, G.), **224**, 1
An oscillating jet in the nearby radio galaxy 1759+211 (Saikia, D.J., Wiita, P.J., Cornwell, T.J.), **224**, 53
Extragalactic jets: probes of the surrounding medium (Wilson, M.J.), **224**, 155
Beaming in blazers (Madau, P., Ghisellini, G., Persic, M.), **224**, 257
Polarization properties of radio cores in active galaxies (Saikia, D.J., Singal, A.K., Cornwell, T.J.), **224**, 379
Observations of 3C sources in the Galactic plane (Pooley, G.G., Leahy, J.P., Shakeshaft, J.R., Riley, J.M.), **224**, 847
Infrared and optical polarimetry of the radio elliptical IC 5063 (PKS2048-57): discovery of a highly polarized non-thermal nucleus (Hough, J.H., Brindle, C., Axon, D.J., Bailey, J., Sparks, W.B.), **224**, 1013

Galaxies – formation of

Gravitational lensing by dark galactic haloes (Subramanian, K., Rees, M.J., Chitre, S.M.), **224**, 283

Galaxies – nuclei of

Beaming in blazers (Madau, P., Ghisellini, G., Persic, M.), **224**, 257
Radio emissions from shell elliptical galaxies (Wilkinson, A., Browne, I.W.A., Kotanyi, C., Christiansen, W.A., Williams, R., Sparks, W.B.), **224**, 895

Galaxies – Seyfert

Discovery of a strong soft X-ray excess in Mkn 335 – evidence for an accretion disc? (Pounds, K.A., Stanger, V.J., Turner, T.J., King, A.R., Czerny, B.), **224**, 443

Galaxy clusters

The optical spectra of central galaxies in southern clusters: evidence for star formation (Johnstone, R.M., Fabian, A.C., Nulsen, P.E.J.), **224**, 75
The dynamics of rich clusters – I. Velocity data (Colless, M., Hewett, P.), **224**, 453
The peculiar velocity of the Local Group – I. HI observations of Sb and Sbc galaxies (Staveley-Smith, L., Davies, R.D.), **224**, 953
Narrow absorption lines from cooling flows (Crawford, C.S., Crehan, D.A., Fabian, A.C., Johnstone, R.M.), **224**, 1007
Constraints on voids at high redshifts from Lyα absorbers (Carswell, R.F., Rees, M.J.), **224**, 13P

Gravitation and gravitational radiation

Antenna patterns of interferometric detectors of gravitational waves – I. Linearly polarized waves (Schutz, B.F., Tinto, M.), **224**, 131
Gravitational lensing by dark galactic haloes (Subramanian, K., Rees, M.J., Chitre, S.M.), **224**, 283
Enhanced gravitational wave emission from perturbed wide binaries (Fitchett, M.), **224**, 567

Herbig–Haro objects

On the infrared emission of the exciting star of the Herbig–Haro objects 1 and 2 (Tapia, M., Roth, M., Carrasco, L., Ruiz, M.T.), **224**, 587

Infrared astronomy

δ Andromedae (K3 III): An *IRAS* source with an unusual ultraviolet spectrum (Judge, P.G., Jordan, C., Rowan-Robinson, M.), **224**, 93

The circumstellar environment of α Orionis (Skinner, C.J., Whitmore, B.), **224**, 335
On the infrared emission of the exciting star of the Herbig–Haro objects 1 and 2 (Tapia, M., Roth, M., Carrasco, L., Ruiz, M.T.), **224**, 587
Infrared and optical polarimetry of the radio elliptical IC 5063 (PKS2048-57): discovery of a highly polarized non-thermal nucleus (Hough, J.H., Brindle, C., Axon, D.J., Bailey, J., Sparks, W.B.), **224**, 1013
Spectroscopy and photometry of IP Peg in the near-infrared (Martin, J.S., Jones, D.H.P., Smith, R.C.), **224**, 1031

Instruments and techniques

Antenna patterns of interferometric detectors of gravitational waves – I. Linearly polarized waves (Schutz, B.F., Tinto, M.), **224**, 131
On the saturation of the refractive index structure function - I. Enhanced hopes for the long baseline optical interferometry (Venkatakrishnan, P., Chatterjee, S.), **224**, 265
Automated galaxy surface photometry – I. Technique, calibration and validation (Cawson, M.G.M., Kibblewhite, E.J., Disney, M.J., Phillipps, S.), **224**, 557
The Jodrell Bank wide-band interferometers and their application to surface profile measurements of the telescopes (Padin, S., Davis, R.J., Lasenby, A.N.), **224**, 685
Low-frequency VLBI in space and interstellar refraction (Dennison, B., Booth, R.S.), **224**, 927

Intergalactic medium

The optical spectra of central galaxies in southern clusters: evidence for star formation (Johnstone, R.M., Fabian, A.C., Nulsen, P.E.J.), **224**, 75
Extragalactic jets: probes of the surrounding medium (Wilson, M.J.), **224**, 155
Gravitational lensing by dark galactic haloes (Subramanian, K., Rees, M.J., Chitre, S.M.), **224**, 283
Are Lyman α clouds non-spherical? (Barcons, X., Fabian, A.C.), **224**, 675
Narrow absorption lines from cooling flows (Crawford, C.S., Crehan, D.A., Fabian, A.C., Johnstone, R.M.), **224**, 1007
Deep Galaxy counts. HI and dust at the South Galactic Pole and in the Magellanic Stream (Fong, R., Jones, L.R., Shanks, T., Stevenson, P.R.F, Strong, A.W., Dawe, J.A., Murray, J.D.), **224**, 1059
Constraints on voids at high redshifts from Lyα absorbers (Carswell, R.F., Rees, M.J.), **224**, 13P

Interplanetary medium

Interplanetary material as a guide to the composition of interstellar grains (Jones, A.P.. Williams, D.A.), **224**, 473

Interstellar grains

The circumstellar environment of α Orionis (Skinner, C.J., Whitmore, B.), **224**, 335
Interplanetary material as a guide to the composition of interstellar grains (Jones, A.P., Williams, D.A.), **224**, 473
A study of the Chamaeleon dark cloud and T-association – I. Extinction distance and membership (Whittet, D.C.B., Kirrane, T.M., Kilkenny, D., Oates, A.P., Watson, F.G., King, D.J.), **224**, 497
On the infrared emission of the exciting star of the Herbig–Haro objects 1 and 2 (Tapia, M., Roth, M., Carrasco, L., Ruiz, M.T.), **224**, 587
Deep Galaxy counts. HI and dust at the South Galactic Pole and in the Magellanic Stream (Fong, R., Jones, L.R., Shanks, T., Stevenson, P.R.F, Strong, A.W., Dawe, J.A., Murray, J.D.), **224**, 1059

Interstellar medium

Dynamical models of radiative shocks – I. Steady shocks (Innes, D.E., Giddings, J.R., Falle, S.A.E.G.), **224**, 179
Theoretical studies of interstellar molecular shocks – V. Solutions for J-type shocks as an initial value problem (Flower, D.R., Pineau des Forêts, G.), **224**, 403
The structure and evolution of interstellar bubbles in a multiphase interstellar medium – I. Physical model (Wolff, M.T., Durisen, R.H.), **224**, 701
Global simulations of gas flow in disc galaxies – II. Evolution of tilts and corrugation waves (Johns, T.C., Nelson, A.H.), **224**, 863
Low-frequency VLBI in space and interstellar refraction (Dennison, B., Booth, R.S.), **224**, 927
Neutral hydrogen observations towards the compact radio source 0022+6352 in Tycho's SNR (Green, D.A., Gull, S.F.), **224**, 1055
Faraday rotation measurements on 163 pulsars (Hamilton, P.A., Lyne, A.G.), **224**, 1073

Magellanic clouds

Two faint WR stars near 30 Doradus (Morgan, D.H., Good, A.R.), **224**, 435
Deep Galaxy counts. HI and dust at the South Galactic Pole and in the Magellanic Stream (Fong, R., Jones, L.R., Shanks, T., Stevenson, P.R.F, Strong, A.W., Dawe, J.A., Murray, J.D.), **224**, 1059

Molecules and molecular clouds

Theoretical studies of interstellar molecular shocks – V. Solutions for J-type shocks as an initial value problem (Flower, D.R., Pineau des Forêts, G.), **224**, 403
Infrared polarimetry of dark clouds – I. Magnetic field structure in Heiles Cloud 2 (Tamura, M., Nagata, T., Sato, S., Tanaka, M.), **224**, 413
A study of the Chamaeleon dark cloud and T-association – I. Extinction distance and membership (Whittet, D.C.B., Kirrane, T.M., Kilkenny, D., Oates, A.P., Watson, F.G., King, D.J.), **224**, 497
Synthetic Swan band profiles of (1,0) of $^{12}C^{13}C$ and (0,0) of $^{12}C^{12}C$ and $^{12}C^{13}C$ in comets (Krishna Swamy, K.S.), **224**, 537
VLA observations of the 4.8-GHz H_2CO transition in L1551 (Duncan, R.A., Forster, J.R., Gardner, F.F., Whiteoak, J.B.), **224**, 721

Nebulae – gaseous

Formation of planets around stars of various masses – I. Formulation and a star of one solar mass (Nakano, T.), **224**, 107

Nebulae – planetary

The carbon-poor halo planetary nebula DDDM-1 (Clegg, R.E.S., Peimbert, M., Torres-Peimbert, S.), **224**, 761
The high radial velocity of an outer filament of the Helix nebula (NGC 7293) (Walsh, J.R., Meaburn, J.), **224**, 885
Electron impact excitation rate coefficients for Mg^{3+} and Mg^{4+} (Mendoza, C., Zeippen, C.J.), **224**, 7P

Nebulae – reflection

Infrared polarimetry of dark clouds – I. Magnetic field structure in Heiles Cloud 2 (Tamura, M., Nagata, T., Sato, S., Tanaka, M.), **224**, 413

Novae

Recurrence behaviour of outbursts in VW Hyi (van der Woerd, H., van Paradijs, J.), **224**, 271
Pointers to conditions in the remnant of RS Ophiuchi from radio observations (Spoelstra, T.A.T., Taylor, A.R., Pooley, G.G., Evans, A., Albinson, J.S.), **224**, 791

Photometry – non-stellar

Automated galaxy surface photometry – I. Technique, calibration and validation (Cawson, M.G.M., Kibblewhite, E.J., Disney, M.J., Phillipps, S.), **224**, 557

Physical processes

Pair production in synchrotron self-Compton models: the case of one generation of pairs (Ghisellini, G.), **224**, 1
An oscillating jet in the nearby radio galaxy 1759+211 (Saikia, D.J., Wiita, P.J., Cornwell, T.J.), **224**, 53
Extragalactic jets: probes of the surrounding medium (Wilson, M.J.), **224**, 155
Dynamical models of radiative shocks – I. Steady shocks (Innes, D.E., Giddings, J.R., Falle, S.A.E.G.), **224**, 179
Evolution of *N*-body open clusters (Terlevich, E.), **224**, 193
On the saturation of the refractive index structure function – I. Enhanced hopes for long baseline optical interferometry (Venkatakrishnan, P., Chatterjee, S.), **224**, 265
Is the accretion disc model invulnerable (Sawada, K., Matsuda, T., Inoue, M., Hachisu, I.), **224**, 307
Theoretical studies of interstellar molecular shocks – V. Solutions for J-type shocks as an initial value problem (Flower, D.R., Pineau des Forêts, G.), **224**, 403
Cyclotron emission from white dwarf accretion columns (Thompson, A.M., Cawthorne, T.V.), **224**, 425
On $\partial E/\partial J$ for general steady states (Collett, J.L., Lynden-Bell, D.), **224**, 489
Low-frequency oscillations of uniformly rotating stars (Lee, U., Saio, H.), **224**, 513
The structure and evolution of interstellar bubbles in a multiphase interstellar medium – I. Physical model (Wolff, M.T., Durisen, R.H.), **224**, 701

Planets

Formation of planets around stars of various masses – I. Formulation and a star of one solar mass (Nakano, T.), **224**, 107

Polarization of starlight

Evidence for a spiral magnetic field configuration in the galaxy M51 (Scarrott, S.M., Ward-Thompson, D., Warren-Smith, R.F.), **224**, 299
Infrared polarimetry of dark clouds – I. Magnetic field structure in Heiles Cloud 2 (Tamura, M., Nagata, T., Sato, S., Tanaka, M.), **224**, 413
Infrared and optical polarimetry of the radio elliptical IC 5063 (PKS2048-57): discovery of a highly polarized non-thermal nucleus (Hough, J.H., Brindle, C., Axon, D.J., Bailey, J., Sparks, W.B.), **224**, 1013

Pulsars

Faraday rotation measurements on 163 pulsars (Hamilton, P.A., Lyne, A.G.), **224**, 1073

Quasars

Beaming in blazers (Madau, P., Ghisellini, G., Persic, M.), **224**, 257
Polarization properties of radio cores in active galaxies (Saikia, D.J., Singal, A.K., Cornwell, T.J.), **224**, 379
On the problem of topological structure of the Universe (Demiański, M., Łapucha, M.), 224, 527
Are Lyman α clouds non-spherical? (Barcons, X., Fabian, A.C.), **224**, 675
A radio study of the compact steep-spectrum quasar 3C 2 (0003-003) (Saikia, D.J., Salter, C.J., Muxlow, T.W.B.), **224**, 911
Optically induced orientation bias in B2 radio quasars (Kapahi, V.K., Shastri, P.), **224**, 17P

Radiative transfer

Pair production in synchrotron self-Compton models: the case of one generation of pairs (Ghisellini, G.), **224**, 1
On the flickering of hot spots in cataclysmic variables (James, J.F.), **224**, 227
Inclination and orbital-phase-dependent resonance line-profile calculations applied to cataclysmic variable winds (Drew, J.E.), **224**, 595

Radio astronomy

An oscillating jet in the nearby radio galaxy 1759+211 (Saikia, D.J., Wiita, P.J., Cornwell, T.J.), **224**, 53
Polarization properties of radio cores in active galaxies (Saikia, D.J., Singal, A.K., Cornwell, T.J.), **224**, 379
The Jodrell Bank wide-band interferometers and their application to surface profile measurements of the telescopes (Padin, S., Davis, R.J., Lasenby, A.N.), **224**, 685
VLA observations of the 4.8-GHz H_2CO transition in L1551 (Duncan, R.A., Forster, J.R., Gardner, F.F., Whiteoak, J.B.), **224**, 721
Pointers to conditions in the remnant of RS Ophiuchi from radio observations (Spoelstra, T.A.T., Taylor, A.R., Pooley, G.G., Evans, A., Albinson, J.S.), **224**, 791
Observations of 3C sources in the Galactic plane (Pooley, G.G., Leahy, J.P., Shakeshaft, J.R., Riley, J.M.), **224**, 847
Radio emissions from shell elliptical galaxies (Wilkinson, A., Browne, I.W.A., Kotanyi, C., Christiansen, W.A., Williams, R., Sparks, W.B.), **224**, 895
A radio study of the compact steep-spectrum quasar 3C 2 (0003-003) (Saikia, D.J., Salter, C.J., Muxlow, T.W.B.), **224**, 911
Low-frequency VLBI in space and interstellar refraction (Dennison, B., Booth, R.S.), **224**, 927
The peculiar velocity of the Local Group – I. H I observations of Sb and Sbc galaxies (Staveley-Smith, L., Davies, R.D.), **224**, 953
Neutral hydrogen observations towards the compact radio source 0022+6352 in Tycho's SNR (Green, D.A., Gull, S.F.), **224**, 1055
Faraday rotation measurements on 163 pulsars (Hamilton, P.A., Lyne, A.G.), **224**, 1073
Optically induced orientation bias in B2 radio quasars (Kapahi, V.K., Shastri, P.), **224**, 17P

Seeing

On the saturation of the refractive index structure function – I. Enhanced hopes for long baseline optical interferometry (Venkatakrishnan, P., Chatterjee, S.), **224**, 265

Solar System

Formation of planets around stars of various masses – I. Formulation and a star of one solar mass (Nakano, T.), **224**, 107
Interplanetary material as a guide to the composition of interstellar grains (Jones, A.P., Williams, D.A.), **224**, 473

Spectroscopy

Mode indentification from line profile variations – III. Temperature variation and toroidal modes (Balona, L.A.), **224**, 41
Synthetic Swan band profiles of (1,0) of $^{12}C^{13}C$ and (0,0) of $^{12}C^{12}C$ and $^{12}C^{13}C$ in comets (Krishna Swamy, K.S.), **224**, 537
Recombination-line intensities for hydrogenic ions – I. Case B calculations for H I and He II (Hummer, D.G., Storey, P.J.), **224**, 801 *and on microfiche*
Electron impact excitation rate coefficients for Mg^{3+} and Mg^{4+} (Mendoza, C., Zeippen, C.J.), **224**, 7P

Stars

Low-frequency oscillations of uniformly rotating stars (Lee, U., Saio, H.), **224**, 513

Stars – atmospheres of

Mode indentification from line profile variations – III. Temperature variation and toroidal modes (Balona, L.A.), **224**, 41

The $^{12}C/^{13}C$ and $^{16}O/^{18}O$ ratios in the solar photosphere (Harris, M.J., Lambert, D.L., Goldman, A.), **224**, 237
Evidence for departures from LTE in Na and Al in late-type giants (Begley, M.J., Cottrell, P.L.), **224**, 633
An activity–rotation relationship in F-M dwarfs from Mg II *h* and *k* flux (Doyle, J.G.), **224**, 1P

Stars – binary

Periodic variations in PHL 227 (Haefner, R., Schoembs, R.), **224**, 231
Is the accretion disc model invulnerable (Sawada, K., Matsuda, T., Inoue, M., Hachisu, I.), **224**, 307
Cyclotron emission from white dwarf accretion columns (Thompson, A.M., Cawthorne, T.V.), **224**, 425
X-ray spectrum of sigma Geminorum: an RS Canum Venaticorum type binary (Singh, K.P., Slijkhuis, S., Westergaard, N.J., Schnopper, H.W., Elgarøy, Ø., Engvold, O., Joras, P.), **224**, 481
Apsidal motion in the early-type eclipsing binaries CW Cephei, Y Cygni and AG Persei (Giménez, A., Kim, C.-H., Nha, Il.-S.), **224**, 543
Enhanced gravitational wave emission from perturbed wide binaries (Fitchett, M.), **224**, 567
Inclination and orbital-phase-dependent resonance line-profile calculations applied to cataclysmic variable winds (Drew, J.E.), **224**, 595
Simultaneous differential photometry with the St Andrews twin photometric telescope – II. The eclipsing binaries SX Aurigae and TT Aurigae (Bell, S.A., Adamson, A.J., Hilditch, R.W.), **224**, 649
V2051 Ophiuchi: a low-field polar? (Warner, B., O'Donoghue, D.), **224**, 733
EXOSAT observations of the X-ray source in M15 (Callanan, P.J., Fabian, A.C., Tennant, A.F., Redfern, R.M., Shafer, R.A.), **224**, 781
Close binary stars and old stellar populations – II. Old disc clusters (Cameron, A.C., Reid, N.), **224**, 821
Phase-resolved optical spectroscopy of the AM Her systems E1405-451 (Rosen, S.R., Mason, K.O., Córdova, F.A.), **224**, 987
Spectroscopy and photometry of IP Peg in the near-infrared (Martin, J.S., Jones, D.H.P., Smith, R.C.), **224**, 1031

Stars – chemical composition of

The $^{12}C/^{13}C$ and $^{16}O/^{18}O$ ratios in the solar photosphere (Harris, M.J., Lambert, D.L., Goldman, A.), **224**, 237
Evidence for departures from LTE in Na and Al in late-type giants (Begley, M.J., Cottrell, P.L.), **224**, 633
The carbon-poor halo planetary nebula DDDM-1 (Clegg, R.E.S., Peimbert, M., Torres-Peimbert, S.), **224**, 761

Stars – clusters of

A completely analytical family of anisotropic Plummer models (Dejonghe, H.), **224**, 13
CCD Photometry of galactic clusters containing Cepheid variables – IV. NGC 6649 (Walker, A.R., Laney, C.D.), **224**, 61
Evolution of *N*-body open clusters (Terlevich, E.), **224**, 193
Close binary stars and old stellar populations – II. Old disc clusters (Cameron, A. C., Reid, N.), **224**, 821
Instability in spherical stellar systems (Palmer, P.L., Papaloizou, J.), **224**, 1043

Stars – formation of

The optical spectra of central galaxies in southern clusters: evidence for star formation (Johnstone, R.M., Fabian, A.C., Nulsen, P.E.J.), **224**, 75
Formation of planets around stars of various masses – I. Formulation and a star of one solar mass (Nakano, T.), **224**, 107

Stars – magnetic fields in

Cyclotron emission from white dwarf accretion columns (Thompson, A.M., Cawthorne, T.V.), **224**, 425
The internal magnetic field of the Sun (Moss, D.), **224**, 1019

Stars – mass loss from

δ Andromedae (K3 III): An *IRAS* source with an unusual ultraviolet spectrum (Judge, P.G., Jordan, C., Rowan-Robinson, M.), **224**, 93
The circumstellar environment of α Orionis (Skinner, C.J., Whitmore, B.), **224**, 335
Inclination and orbital-phase-dependent resonance line-profile calculations applied to cataclysmic variable winds (Drew, J.E.), **224**, 595
LSS 2063 – a galactic Of/WN star (Gómez, D.O., Niemela, V.S.), **224**, 641
The structure and evolution of interstellar bubbles in a multiphase interstellar medium – I. Physical model (Wolff, M.T., Durisen, R.H.), **224**, 701
The carbon-poor halo planetary nebula DDDM-1 (Clegg, R.E.S., Peimbert, M., Torres-Peimbert, S.), **224**, 761
The high radial velocity of an outer filament of the Helix nebula (NGC 7293) (Walsh, J.R., Meaburn, J.), **224**, 885

Stars – photometry of

CCD Photometry of galactic clusters containing Cepheid variables – IV. NGC 6649 (Walker, A.R., Laney, C.D.), **224**, 61
Periodic variations in PHL 227 (Haefner, R., Schoembs, R.), **224**, 231

A study of the Chamaeleon dark cloud and T-association – I. Extinction distance and membership (Whittet, D.C.B., Kirrane, T.M., Kilkenny, D., Oates, A.P., Watson, F.G., King, D.J.), **224**, 497
Apsidal motion in the early-type eclipsing binaries CW Cephei, Y Cygni and AG Persei (Giménez, A., Kim, C.-H., Nha, Il.-S.), **224**, 543
Simultaneous differential photometry with the St Andrews twin photometric telescope – II. The eclipsing binaries SX Aurigae and TT Aurigae (Bell, S.A., Adamson, A.J., Hilditch, R.W.), **224**, 649
V2051 Ophiuchi: a low-field polar? (Warner, B., O'Donoghue, D.), **224**, 733
Studies of dwarf irregular galaxies – I. *B* and *V* CCD photometry of the brighter stars in Sextans A (Walker, A.R.), **224**, 935
Spectroscopy and photometry of IP Peg in the near-infrared (Martin, J.S., Jones, D.H.P., Smith, R.C.), **224**, 1031
Photometric variability of the extreme hydrogen-deficient stars LSIV-1°2 and BD+1°4381 (Morrison, K.), **224**, 1083
An activity–rotation relationship in F–M dwarfs from Mg II *h* and *k* flux (Doyle, J.G.), **224**, 1P

Stars – rotation of

Low-frequency oscillations of uniformly rotating stars (Lee, U., Saio, H.), **224**, 513
Close binary stars and old stellar populations – II. Old disc clusters (Cameron, A.C., Reid, N.), **224**, 821
An activity–rotation relationship in F–M dwarfs from Mg II *h* and *k* flux (Doyle, J.G.), **224**, 1P

Stars – spectroscopy of

Mode identification from line profile variations – III. Temperature variations and toroidal modes (Balona, L.A.), **224**, 41
δ Andromedae (K3 III): An *IRAS* source with an unusual ultraviolet spectrum (Judge, P.G., Jordan, C., Rowan-Robinson, M.), **224**, 93
Periodic variations in PHL 227 (Haefner, R., Schoembs, R.), **224**, 231
The $^{12}C/^{13}C$ and $^{16}O/^{18}O$ ratios in the solar photosphere (Harris M.J., Lambert, D.L., Goldman, A.), **224**, 237
The complex, variable structure of stationary lines in SS 433 (Falomo, R., Boksenberg, A., Tanzi, E.G., Tarenghi, M., Treves, A.), **224**, 323
The circumstellar environment of α Orionis (Skinner, C.J., Whitmore, B.), **224**, 335
Two faint WR stars near 30 Doradus (Morgan, D.H., Good, A.R.), **224**, 435
A study of the Chamaeleon dark cloud and T-association – I. Extinction distance and membership (Whittet, D.C.B., Kirrane, T.M., Kilkenny, D., Oates, A.P., Watson, F.G., King, D.J.), **224**, 497
Inclination and orbital-phase-dependent resonance line-profile calculations applied to cataclysmic variable winds (Drew, J.E.), **224**, 595
LSS 2063 – a galactic Of/WN star (Gómez, D.O., Niemela, V.S.), **224**, 641
Simultaneous differential photometry with the St Andrews twin photometric telescope – II. The eclipsing binaries SX Aurigae and TT Aurigae (Bell, S.A., Adamson, A.J., Hilditch, R.W.), **224**, 649
Close binary stars and old stellar populations – II. Old disc clusters (Cameron, A.C., Reid, N.), **224**, 821
The high radial velocity of an outer filament of the Helix nebula (NGC 7293) (Walsh, J.R., Meaburn, J.), **224**, 885
Phase-resolved optical spectroscopy of the AM Her systems E1405-451 (Rosen, S.R., Mason, K.O., Córdova, F.A.), **224**, 987
Spectroscopy and photometry of IP Peg in the near-infrared (Martin, J.S., Jones, D.H.P., Smith, R.C.), **224**, 1031

Stars – structure and evolution of

Apsidal motion in the early-type eclipsing binaries CW Cephei, Y Cygni and AG Persei (Giménez, A., Kim, C.-H., Nha, Il.-S.), **224**, 543
The internal magnetic field of the Sun (Moss, D.), **224**, 1019

Stars – variable

Mode identification from line profile variations – III. Temperature variations and toroidal modes (Balona, L.A.), **224**, 41
CCD Photometry of galactic clusters containing Cepheid variables – IV. NGC 6649 (Walker, A.R., Laney, C.D.), **224**, 61
Radial velocities of RR Lyrae stars in the Baade Window (Gratton, R.G.), **224**, 175
On the flickering of hot spots in cataclysmic variables (James, J.F.), **224**, 227
Periodic variations in PHL 227 (Haefner, R., Schoembs, R.), **224**, 231
Recurrence behaviour of outbursts in VW Hyi (van der Woerd, H., van Paradijs, J.), **224**, 271
The complex, variable structure of stationary lines in SS 433 (Falomo, R., Boksenberg, A., Tanzi, E.G., Tarenghi, M., Treves, A.), **224**, 323
V2051 Ophiuchi: a low-field polar? (Warner, B., O'Donoghue, D.), **224**, 733
Pointers to conditions in the remnant of RS Ophiuchi from radio observations (Spoelstra, T.A.T., Taylor, A.R., Pooley, G.G., Evans, A., Albinson, J.S.), **224**, 791
Phase-resolved optical spectroscopy of the AM Her systems E1405-451 (Rosen, S.R., Mason, K.O., Córdova, F.A.), **224**, 987

Photometric variability of the extreme hydrogen-deficient stars LSIV-1°2 and BD +1°4381 (Morrison, K.), **224**, 1083

Stars – velocities of

Radial velocities of RR Lyrae stars in the Baade Window (Gratton, R.G.), **224**, 175
The South Galactic Pole: radial velocities of 157 O–F8 (McFadzean, A.D., Hilditch, R.W., Hill, G., Aikman, G.C.L., Fisher, W.A.), **224**, 393

Sun

The $^{12}C/^{13}C$ and $^{16}O/^{18}O$ ratios in the solar photosphere (Harris, M.J., Lambert, D.L., Goldman, A.), **224**, 237
The internal magnetic field of the Sun (Moss, D.), **224**, 1019

Supernovae and supernova remnants

Dynamical models of radiative shocks – I. Steady shocks (Innes, D.E., Giddings, J.R., Falle, S.A.E.G.), **224**, 179
The structure and evolution of interstellar bubbles in a multiphase interstellar medium – I. Physical model (Wolff, M.T., Durisen, R.H.), **224**, 701
Neutral hydrogen observations towards the compact radio source 0022+6352 in Tycho's SNR (Green, D.A., Gull, S.F.), **224**, 1055

Ultraviolet astronomy

δ Andromedae (K3 III): An *IRAS* source with an unusual ultraviolet spectrum (Judge, P.G., Jordan, C., Rowan-Robinson, M.), **224**, 93
An activity–rotation relationship in F–M dwarfs from Mg II *h* and *k* flux (Doyle, J.G.), **224**, 1P

X-ray astronomy

Pair production in synchrotron self-Compton models: the case of one generation of pairs (Ghisellini, G.), **224**, 1
Discovery of a strong soft X-ray excess in Mkn 335 – evidence for an accretion disc? (Pounds, K.A., Stanger, V.J., Turner, T.J., King, A.R., Czerny, B.), **224**, 443
X-ray spectrum of sigma Geminorum: an RS Canum Venaticorum type binary (Singh, K.P., Slijkhuis, S., Westergaard, N.J., Schnopper, H.W., Elgarøy, Ø., Engvold, O., Joras, P.), **224**, 481
EXOSAT observations of the X-ray source in M15 (Callanan, P.J., Fabian, A.C., Tennant, A.F., Redfern, R.M., Shafer, R.A.), **224**, 781